



## OUTLINER SERIES

Enhancing aesthetics with a minimalistic but visible Outliner on frameless glass used for Doors, Showers, or Partitions. Giving a new statement to the world of frameless solutions.


**OUTLINER SW - 11 SINGLE DOOR WITH PATCH FITTINGS**

Outliner Series



For 10MM Glass Thickness					
S. No.	Code	Description	Length	Qty.	MRP
1	OZOT-ESD-P10 3M BM	Perimeter/Side Profile	3Mtr	2 Nos.	₹ 935
2	OZOT-HSP10 3M BM	Hinge Side Profile	3Mtr	1 Nos.	₹ 1,020
3	OZOT-HP-GKT BL	Gasket	R/Mtr	3 Nos.	₹ 68
For 12MM Glass Thickness					
S. No.	Code	Description	Length	Qty.	MRP
1	OZOT-ESD-P12 3M BM	Perimeter/Side Profile	3Mtr	2 Nos.	₹ 980
2	OZOT-HSP12 3M BM	Hinge Side Profile	3Mtr	1 Nos.	₹ 1,105
3	OZOT-HP-GKT BL	Gasket	R/Mtr	3 Nos.	₹ 68

### TYPICAL LAYOUT




**OUTLINER SW - 22 DOUBLE DOOR WITH PATCH FITTINGS**



Outliner Series

For 10MM Glass Thickness					
S. No.	Code	Description	Length	Qty.	MRP
1	OZOT-ESD-P10 3M BM	Perimeter/Side Profile	3Mtr	4 Nos.	₹ 935
2	OZOT-HSP10 3M BM	Hinge Side Profile	3Mtr	2 Nos.	₹ 1,020
3	OZOT-HP-GKT BL	Gasket	R/Mtr	6 Nos.	₹ 68
For 12MM Glass Thickness					
S. No.	Code	Description	Length	Qty.	MRP
1	OZOT-ESD-P12 3M BM	Perimeter/Side Profile	3Mtr	4 Nos.	₹ 980
2	OZOT-HSP12 3M BM	Hinge Side Profile	3Mtr	2 Nos.	₹ 1,105
3	OZOT-HP-GKT BL	Gasket	R/Mtr	6 Nos.	₹ 68

### TYPICAL LAYOUT



Outliner Series


**OUTLINER SW - 33 DOUBLE DOOR WITH OVERPANEL**

Outliner Series



For 10 MM Glass Thickness					
S. No.	Code	Descriptions	Length	QTY.	MRP
1	OZOT-ESD-P10 3M BM	Perimeter/Side Profile	3Mtr	2 Nos.	₹ 935
2	OZOT-HSP10 3M BM	Hinge Side Profile	3Mtr	4 Nos.	₹ 1,020
3	OZOT-HP-GKT BL	Gasket	R/Mtr	12 Nos.	₹ 68
4	OZHN-DP-PR-33 4M ABM	Fixed Glass Profile	4Mtr	As Per Actual	₹ 8,195
For 12 MM Glass Thickness					
S. No.	Code	Descriptions	Length	QTY.	MRP
1	OZOT-ESD-P12 3M BM	Perimeter/Side Profile	3Mtr	2 Nos.	₹ 980
2	OZOT-HSP12 3M BM	Hinge Side Profile	3Mtr	4 Nos.	₹ 1,105
3	OZOT-HP-GKT BL	Gasket	R/Mtr	12 Nos.	₹ 68
4	OZHN-DP-PR-33 4M ABM	Fixed Glass Profile	4Mtr	As Per Actual	₹ 8,195

### TYPICAL LAYOUT



Note: The number of the profiles will change as per the length of the door and according to the site measurement.

### OUTLINER SW - 11/22/33 PROFILES



OZOT-ESD-P10 3M  
PHANTOM GREY  
₹ 980



OZOT-ESD-P10 3M  
TAN BRASS  
₹ 980

**OZOT-ESD-P10 3M BM ₹ 935**  
Outliner EDGE PROFILE

- Outliner sleek Profile for cladding the edge of glass.
- 12.5X14.8 ALUMINIUM EXTRUDED PROFILE.
- No Screws & Corner cleat is required to fix with glass
- Can be fix with double side tape only.
- Suitable glass thickness 10mm
- Max Profile length 3000
- Suitable for Shower, Sliding Folding and Patch fitting applications.
- Material: Aluminium.
- Finish: BM & AN
- Other Finish can also be available on request.



OZOT-ESD-P12 3M  
PHANTOM GREY  
₹ 1030



OZOT-ESD-P12 3M  
TAN BRASS  
₹ 1030

**OZOT-ESD-P12 3M BM ₹ 980**  
Outliner EDGE PROFILE

- Outliner sleek Profile for cladding the edge of glass.
- 13.5X16.8 ALUMINIUM EXTRUDED PROFILE.
- No Screws & Corner cleat is required to fix with glass
- Can be fix with double side tape only.
- Suitable glass thickness 12mm
- Max Profile length 3000
- Suitable for Shower, Sliding Folding and Patch fitting applications.
- Material: Aluminium.
- Finish: BM & AN
- Other Finish can also be available on request.



OZOT-HSP10 3M  
PHANTOM GREY



OZOT-HSP10 3M  
TAN BRASS

**OZOT-HSP10 3M BM ₹ 1,020**  
Outliner HINGE PROFILE

- Outliner Hinge Profile for cladding the edge of Hinge side.
- 13.5X14.8 ALUMINIUM EXTRUDED PROFILE.
- No Screws & Corner cleat is required to fix with glass
- Can be fix with double side tape only.
- Suitable glass thickness 10mm
- Max Profile length 3000
- Suitable for Shower, Sliding Folding and Patch fitting applications.
- Material: Aluminium.
- Finish: BM & AN
- Other Finish can also be available on request.



OZOT-HSP12 3M  
PHANTOM GREY  
₹ 1,160



OZOT-HSP12 3M  
TAN BRASS  
₹ 1,160

**OZOT-HSP12 3M BM ₹ 1,105**  
Outliner HINGE PROFILE

- Outliner Hinge Profile for cladding the edge of Hinge side.
- 13.5X16.8 ALUMINIUM EXTRUDED PROFILE.
- No Screws & Corner cleat is required to fix with glass
- Can be fix with double side tape only.
- Suitable glass thickness 12mm
- Max Profile length 3000
- Suitable for Shower, Sliding Folding and Patch fitting applications.
- Material: Aluminium.
- Finish: BM & AN
- Other Finish can also be available on request.



**OZOT-HP-GKT BL ₹ 68**  
EPDM GASKET

- EPDM Seal for Outliner Hinge Profile.
- Minimize the gap between wall/Floor and profile.



**OZHN-DP-PR-33 4M ABM ₹ 8,195**  
Fixed Glass Profiles

- Fixed glass profile with cover clip
- 27X43 ALUMINIUM EXTRUDED PROFILE.
- Suitable glass thickness 10/12mm
- Max Profile length 4 mtr
- Suitable for fixed glass panel applications.
- Material: Aluminium.
- Finish: BM & AN



OZHN-DP-PR-33 4M  
PHANTOM GREY



OZHN-DP-PR-33 4M  
TAN BRASS

**OUTLINER SLICK SW-11/22/33**



**OPF-2 STD  
PHANTOM GREY**  
₹ 2,300

**OPF-2 STD  
TAN BRASS**  
₹ 2,300

**OPF-2 STD BM ₹ 2,190**

Top Patch  
Variable pivot point of 55 or 65mm  
With SS 304 cover  
Cover secured with small 'L' key  
Base material Casting:-Aluminium alloy  
Finish: BM



**OPF-3 STD  
PHANTOM GREY**  
₹ 2,300

**OPF-3 STD  
TAN BRASS**  
₹ 2,300

**OPF-3 STD BM ₹ 2,190**

Bottom Patch  
Variable pivot point of 55 or 65mm  
Compatible with Ozone Floor Spring  
Base Material Casting: Aluminium Alloy  
Quick Release Covers  
Finish: BM



**OFS-ACC-GDP  
PHANTOM GREY**  
₹ 595

**OFS-ACC-GDP  
TAN BRASS**  
₹ 595

**OFS-ACC-GDP STD BM ₹ 565**

Top pivot with 15mm diameter pin  
Wear resistant SS 304 pivot pin  
Pivot held in overhead structure  
Material:-Stainless Steel Grade-304  
Finish:- BM



**OGH-11 26x450MM BM ₹ 3,115**

Glass Door Handle  
With gaskets to prevent glass damage  
Sleek construction  
Handle on both sides  
Can be used on sliding door also



**OPL-1 STD  
PHANTOM GREY**  
₹ 3,595

**OPL-1 STD  
TAN BRASS**  
₹ 3,595

**OPL-1 STD BM ₹ 3,425**

Corner Patch Lock with Strike Plate  
With a euro profile cylinder  
and strike plate  
Dead bolt projection of 15mm  
(single throw)  
Three high security computer keys  
Cover secured with small 'L' key  
1.5mm thick SS 316 cover plate  
Cover plate secured with a snap-fit mechanism



**OGH-55 32x457MM BM ₹ 3,050**

H Type Handle  
Pull Handle With Back to Back installation  
on Glass/Wooden/Metals Doors.  
Gaskets to prevent the contact between  
glass and metal.  
Supporting washer with raised bevelling  
on the outer surface.  
Material:-Stainless Steel Grade 304.  
Finish: Double Finish of PSS/SSS &  
Single Finish of SSS.



**OCFH-100 STD  
PHANTOM GREY**  
₹ 20,910

**OCFH-100 STD  
TAN BRASS**  
₹ 20,910

**OCFH-100 STD BM ₹ 20,910**

The Original SELF-CLOSING  
Patch Fitting  
Quick and easy installation  
Suitable door weight: Max 100kg.  
Suitable door width: 750~1000mm  
Suitable door thickness: 8~12mm  
Ambient temperature: -20°C to +50°C



**OPF-1 STD  
PHANTOM GREY**  
₹ 3,555

**OPF-1 STD  
TAN BRASS**  
₹ 3,555

**OPF-1 STD BM ₹ 3,385**

Over Panel Side Panel  
Connecting Patch with Pivot  
Quick and easy installation  
Ambient temperature: -20°C to +50°C




**FS-8400-S STD BM ₹ 16,765**


Floor Spring  
Maximum door weight : 80Kg  
Closing speed : 130-10  
Final closing speed : 10-0  
Hold Open (standard): 90 hold open  
Installation dim.: Length-306mm,  
Width-108mm, Height-40mm  
10 Years Guarantee against  
manufacturing defect only



**OUTLINER EN-11 WALL-TO-GLASS SHOWER ENCLOSURE**



Max Height  
2200mm




Max Width  
700mm




For 10MM Glass Thickness					
S. No.	Code	Description	Length	Qty.	MRP
1	OZOT-ESD-P10 2.5M BM	Perimeter/Side Profile	1.8Mtr	1 Nos.	₹ 780
2	OZOT-HSP10 3M BM	Hinge Side Profile	3Mtr	1 Nos.	₹ 1,020
3	OZOT-HP-GKT BL	Gasket	R/Mtr	3 Nos.	₹ 68
4	OZOT-TP1 2.5M BM	Top Profile A Threshold/Wall	1.8Mtr	1 Nos.	₹ 675
5	OZOT-MP 2.5M BL	Magnetic Profile with Strip	2.2Mtr	1 Nos.	₹ 2,905
6	OZOT-MP-WSP 3M BM	Wall Support Profile for Magnetic Profile	2.2Mtr	1 Nos.	₹ 2,550
7	OZOT-CST 1.8M BM	Aluminium Cover Strip with locking rubber seal	1.8Mtr	1 Nos.	₹ 620

TYPICAL LAYOUT







**OUTLINER EN - 22 GLASS-TO-GLASS 90° SHOWER ENCLOSURE**



Max Height  
2200mm



Max Side Width  
900mm




Max Front Width  
1800mm



For 10MM Glass Thickness					
S. No.	Code	Description	Length	Qty.	MRP
1	OZOT-ESD-P10 2.5M BM	Perimeter/Side Profile	3Mtr	1 Nos.	₹ 780
2	OZOT-HSP10 2.5M BM	Hinge Side Profile	3Mtr	1 Nos.	₹ 850
3	OZOT-HP-GKT BL	Gasket	R/Mtr	3 Nos.	₹ 68
4	OZOT-TP1 2.5M BM	Top Profile A Threshold/Wall	2.2Mtr	4 Nos.	₹ 675
5	OZOT-BP2 2.5M BM	Bottom Profile A Threshold/Wall	2.2Mtr	4 Nos.	₹ 990
6	OZOT-MP 2.5M BL	Magnetic Profile with Strip	2.2Mtr	1 Nos.	₹ 2,905
7	OZOT-25T-ED 2.2 BM	Reinforcement track	2.2Mtr	2 Nos.	₹ 1,870
8	OZOT-CST 1.8M BM	Aluminium Cover Strip with locking rubber seal	1.8Mtr	1 Nos.	₹ 620
9	OZOT-25T-ED-90 STD BM	Corner Connector For Stabilizing Profile	N/A	1 Nos.	₹ 810
10	OZOT-25T-ED-WB STD BM	Re-inforcement Wall Bracket	N/A	2 Nos.	₹ 640


### TYPICAL LAYOUT




Outliner Series




**OUTLINER EN - 33 GLASS-TO-GLASS 90° SHOWER ENCLOSURE**



Max Height  
2200mm



Max Side Width  
900mm




Max Front Width  
1800mm



Outliner Series

For 10MM Glass Thickness					
S. No.	Code	Description	Length	Qty.	MRP
1	OZOT-ESD-P10 2.5M BM	Perimeter/Side Profile	3Mtr	1 Nos.	₹ 780
2	OZOT-HSP10 2.5M BM	Hinge Side Profile	3Mtr	1 Nos.	₹ 850
3	OZOT-HP-GKT BL	Gasket	R/Mtr	3 Nos.	₹ 68
4	OZOT-TP1 2.5M BM	Top Profile A Threshold/Wall	2.2Mtr	4 Nos.	₹ 675
5	OZOT-BP2 2.5M BM	Bottom Profile A Threshold/Wall	2.2Mtr	4 Nos.	₹ 990
6	OZOT-MP 2.5M BL	Magnetic Profile with Strip	2.2Mtr	1 Nos.	₹ 2,905
7	OZOT-25T-ED 2.2M BM	Reinforcement track	2.2Mtr	2 Nos.	₹ 1,870
8	OZOT-CST 1.8M BM	Aluminium Cover Strip with locking rubber seal	1.8Mtr	1 Nos.	₹ 620
9	OZOT-25T-ED-90 STD BM	Corner Connector For Stabilizing Profile	N/A	1 Nos.	₹ 810
10	OZOT-25T-ED-WB STD BM	Re-inforcement Wall Bracket	N/A	2 Nos.	₹ 640


## TYPICAL LAYOUT






**OUTLINER EN - 44 GLASS-TO-GLASS 180° SHOWER ENCLOSURE**

Now Available in 2.5m Height and Multiple Finishes



Max Height  
2200mm




Max Front Width  
1800mm



For 10MM Glass Thickness					
S. No.	Code	Description	Length	Qty.	MRP
1	OZOT-ESD-P10 2.5M BM	Perimeter/Side Profile	3Mtr	1 Nos.	₹ 780
2	OZOT-HSP10 2.5M BM	Hinge Side Profile	3Mtr	1 Nos.	₹ 850
3	OZOT-HP-GKT BL	Gasket	R/Mtr	3 Nos.	₹ 68
4	OZOT-TP1 2.5M BM	Top Profile A Threshold/Wall	2.2Mtr	2 Nos.	₹ 675
5	OZOT-BP2 2.5M BM	Bottom Profile A Threshold/Wall	2.2Mtr	2 Nos.	₹ 990
6	OZOT-MP 2.5M BL	Magnetic Profile with Strip	2.2Mtr	1 Nos.	₹ 2,905
7	OZOT-25T-ED 2.2M BM	Reinforcement track	2.2Mtr	1 Nos.	₹ 1,870
8	OZOT-CST 1.8M BM	Aluminium Cover Strip with locking rubber seal	1.8Mtr	1 Nos.	₹ 620
9	OZOT-25T-ED-WB STD BM	Re-inforcement Wall Bracket	N/A	2 Nos.	₹ 640
10	OZOT-MP-WSP 3M BM	Wall supporting profile for magnetic seal (WtoG)	2.2Mtr	1 Nos.	₹ 2,550

# TYPICAL LAYOUT




Outliner Series




## OUTLINER EN - 55 WALL-TO-GLASS 180° SHOWER ENCLOSURE

Now Available in 2.5m Height and Multiple Finishes



Max Height  
2200mm




Max Front Width  
1800mm



For 10MM Glass Thickness					
S. No.	Code	Description	Length	Qty.	MRP
1	OZOT-ESD-P10 2.5M BM	Perimeter/Side Profile	1.8Mtr	1 Nos.	₹ 780
2	OZOT-HSP10 2.5M BM	Hinge Side Profile	3Mtr	1 Nos.	₹ 850
3	OZOT-HP-GKT BL	Gasket	R/Mtr	3 Nos.	₹ 68
4	OZOT-TP1 2.5M BM	Top Profile A Threshold/Wall	2.2Mtr	2 Nos.	₹ 675
5	OZOT-BP2 2.5M BM	Bottom Profile A Threshold/Wall	2.2Mtr	2 Nos.	₹ 990
6	OZOT-MP 2.5M BL	Magnetic Profile with Strip	2.2Mtr	1 Nos.	₹ 2,905
7	OZOT-25T-ED 2.2M BM	Reinforcement track	2.2Mtr	1 Nos.	₹ 1,870
8	OZOT-CST 1.8M BM	Aluminium Cover Strip with locking rubber seal	1.8Mtr	1 Nos.	₹ 620
9	OZOT-25T-ED-WB STD BM	Re-inforcement Wall Bracket	N/A	2 Nos.	₹ 640

# TYPICAL LAYOUT



Outliner Series

## OUTLINER EN - 11/22/33/44/55 PROFILES



₹ 980

OZOT-ESD-P10 3M  
PHANTOM GREY

₹ 980

OZOT-ESD-P10 2.6M BM ₹ 780  
OZOT-ESD-P10 3M BM ₹ 935  
Outliner EDGE PROFILE

- Outliner sleek Profile for cladding the edge of glass.
- 12.5X14.8 ALUMINIUM EXTRUDED PROFILE.
- No Screws & Corner cleat is required to fix with glass
- Can be fix with double side tape only.
- Suitable glass thickness 10mm
- Suitable for Shower, Sliding Folding and Patch fitting applications.
- Material: Aluminium.
- Finish: BM & AN
- Other Finish can also be available on request.



₹ 895

OZOT-HSP10 2.6M  
PHANTOM GREY

₹ 895

OZOT-HSP10 2.6M TAN BRASS

OZOT-HSP10 2.6M BM ₹ 850  
OZOT-HSP10 3M BM ₹ 1,020  
Outliner HINGE PROFILE

- Outliner sleek Profile for cladding the edge of Hinge side.
- 12.5X14.8 ALUMINIUM EXTRUDED PROFILE.
- No Screws & Corner cleat is required to fix with glass
- Can be fix with double side tape only.
- Suitable glass thickness 10mm
- Suitable for Shower, Sliding Folding and Patch fitting applications.
- Material: Aluminium.
- Finish: BM & AN
- Other Finish can also be available on request.



OZOT-HP-GKT BL ₹ 68  
EPDM GASKET

- EPDM Seal for Outliner Hinge Profile.
- Minimize the gap between wall/Floor and profile.



OZOT-TP1 2.6M  
PHANTOM GREY

₹ 710



OZOT-TP1 2.6M  
TAN BRASS

₹ 710

OZOT-TP1 1.8M BM ₹ 485  
(Optimised Length)  
OZOT-TP1 2.6M BM ₹ 675  
Top Profile A Threshold/Wall

- Outliner sleek base Profile
- 10X14.8 Aluminium extruded profile.
- Can be fix to wall or floor with Screws
- Suitable for Shower applications
- Material: Aluminium
- Finish: BM & AN
- Other Finish can also be available on request.



OZOT-BP2 2.6M  
PHANTOM GREY

₹ 1,040



OZOT-BP2 2.6M  
TAN BRASS

₹ 1,040

OZOT-BP2 1.8M BM ₹ 715  
OZOT-BP2 2.6M BM ₹ 990  
Bottom Profile A Threshold/Wall

- Wall connecting profile
- 15.3 X14.8 Aluminium extruded profile
- Can be fix to wall or floor with Screws
- Material: Aluminium.
- Finish: BM & AN
- Other Finish can also be available on request.



OZOT-MP 2.6M  
PHANTOM GREY

OZOT-MP 2.6M  
TAN BRASS

OZOT-MP 2.6M BM ₹ 3,305  
MAGNETIC PROFILE

- Magnetic Profile
- 25.9X14.8 Aluminium extruded profile
- No Screws & corner cleat is required to fix with glass
- Can be fix with double side tape only
- Suitable glass thickness 12mm
- Material: Aluminium
- Finish: BM & AN
- Other Finish can also be available on request.



OZOT-MP-WSP 2.6M  
PHANTOM GREY

₹ 2,230



OZOT-MP-WSP 2.6M  
TAN BRASS

₹ 2,230

OZOT-MP-WSP 2.6M BM ₹ 2,125  
OZOT-MP-WSP 3M BM ₹ 2,550  
WALL SUPPORT PROFILE

- Wall Support Profile for Magnetic Profile
- 29 X 18 ALUMINIUM EXTRUDED PROFILE.
- Can be fix to wall with screw.
- Material: Aluminium.
- Finish: BM & AN
- Other Finish can also be available on request.



OZOT-26T-ED 2.6M  
PHANTOM GREY

₹ 1,965



OZOT-26T-ED 2.6M  
TAN BRASS

₹ 1,965

OZOT-26T-ED 2.6M BM ₹ 2,125  
OZOT-26T-ED 3M BM ₹ 2,550  
STABILIZING PROFILE

- Stabilizing Support Profile
- 13X30ALUMINIUM EXTRUDED PROFILE.
- Material: Aluminium.
- Finish: BM & AN
- Other Finish can also be available on request.



OZOT-CST 1.8M  
PHANTOM GREY

₹ 650



OZOT-CST 1.8M  
TAN BRASS

₹ 650

OZOT-CST 1.8M BM ₹ 620  
OZOT-CST 3M BM ₹ 1,035  
ALUMINIUM COVER STRIP  
WITH LOCKING RUBBER SEAL

- Cover Strip Cleats with Rubber Seal
- Material: Aluminium.
- Finish: BM & AN
- Other Finish can also

**OUTLINER EN - 11/22/33/44/55 PROFILES**



**OZOT-26T-ED-WB STD  
PHANTOM GREY**  
₹ 675

**OZOT-26T-ED-WB STD  
TAN BRASS**  
₹ 675

**OZOT-26T-ED-WB STD BM ₹ 640**  
WALL BRACKET-PART-A

- Wall Bracket for Stabilizing Support Profile
- Material: Aluminium.
- Finish: BM & AN
- Other Finish can also be available on request.



**OZOT-26T-ED-90 STD  
PHANTOM GREY**

**OZOT-26T-ED-90 STD  
TAN BRASS**

**OZOT-26T-ED-90 STD BM ₹ 810**  
CORNER CONNECTOR FOR  
STABILIZING PROFILE

- CORNER CONNECTOR FOR STABILIZING PROFILE for 90 Degree Shower
- Material: Aluminium.
- Finish: BM & AN
- Other Finish can also be available on request.



**OSSH-11-ED STD  
PHANTOM GREY**  
₹ 2,810

**OSSH-11-ED STD  
TAN BRASS**  
₹ 2,810

**OSSH-11-ED STD BM ₹ 2,875**  
Wall-To-Glass Hinge

- Seamless Design
- Water Tight Fitting Ensures No Water Leakage
- Minimum Gap
- Snapfit Cover Cap
- Suitable for glass thickness: 8-10mm



**OSSH-22-ED STD BM ₹ 4,225**  
Glass-to-Glass 180° Hinge

- Seamless Design
- Water Tight Fitting Ensures No Water Leakage
- Minimum Gap
- Snapfit Cover Cap
- Suitable for glass thickness: 8-10mm



**OSSH-22-ED STD  
PHANTOM GREY**  
₹ 4,435



**OSSH-22-ED STD  
TAN BRASS**  
₹ 4,435



**OSSH-44-ED STD BM ₹ 5,025**  
Glass-to-Glass Hinge 90°

- Secure Holding with Glass
- Door Weight Max. 40 Kgs
- With Gaskets to Prevent glass Damage
- Door Width Max. 750mm
- Suitable for Glass Thickness 8/10mm
- SS 304 Grade Material
- Matt Black Finish



**OSSH-44-ED STD  
PHANTOM GREY**  
₹ 5,275



**OSSH-44-ED STD  
TAN BRASS**  
₹ 5,275



**OGH-TB-1 STD BM ₹ 3,450**  
Towel Bar with Handle

- With gaskets to prevent glass damage
- Perfect handling design
- Sleek construction
- Towel bar out side and handle inside
- Stainless Steel Grade 304
- Finish: SSS / PSS / BM



**OGH-TB-1 STD  
PHANTOM GREY**  
Towel Bar with Handle  
₹ 3,620



**OGH-TB-1 STD  
TAN BRASS**  
Towel Bar with Handle  
₹ 3,625



**OGH-TB-ED STD BM ₹ 3,155**  
Towel Bar With Handle

- With gaskets to prevent glass damage
- Perfect handling design
- Straight line interior for modern look
- Sleek construction
- Towel bar out side and handle inside
- Stainless Steel Grade 304
- Finish: SSS / PSS / BM




**OGH-TB-ED STD  
PHANTOM GREY**  
Towel Bar with Handle



**OGH-TB-ED STD  
TAN BRASS**  
Towel Bar with Handle

**OUTLINER FOLD OS-444 OFFSET SLIDING DOOR SYSTEM**


Outliner Series



For 10MM Glass Thickness					
S. No.	Code	Description	Length	Qty.	MRP
1	OZOT-ESD-P10 3M BM	Perimeter/Side Profile	3Mtr	4 Nos.	₹ 935
2	OZOT-HSP10 3M BM	Hinge Side Profile	3Mtr	4 Nos.	₹ 1,020
3	OZOT-HP-GKT BL	Gasket	R/Mtr	12 Nos.	₹ 68

For 12MM Glass Thickness					
S. No.	Code	Description	Length	Qty.	MRP
1	OZOT-ESD-P12 3M BM	Perimeter/Side Profile	3Mtr	4 Nos.	₹ 980
2	OZOT-HSP12 3M BM	Hinge Side Profile	3Mtr	4 Nos.	₹ 1,105
3	OZOT-HP-GKT BL	Gasket	R/Mtr	12 Nos.	₹ 68

TYPICAL LAYOUT



Outliner Series

**OUTLINER FOLD CS-444 CENTER SLIDING FOLDING SYSTEM**


Outliner Series



For 10MM Glass Thickness					
S. No.	Code	Description	Length	Qty.	MRP
1	OZOT-ESD-P10 3M BM	Perimeter/Side Profile	3Mtr	6 Nos.	₹ 935
2	OZOT-HSP10 3M BM	Hinge Side Profile	3Mtr	4 Nos.	₹ 1,020
3	OZOT-HP-GKT BL	Gasket	R/Mtr	12 Nos.	₹ 68

For 12MM Glass Thickness					
S. No.	Code	Description	Length	Qty.	MRP
1	OZOT-ESD-P12 3M BM	Perimeter/Side Profile	3Mtr	6 Nos.	₹ 980
2	OZOT-HSP12 3M BM	Hinge Side Profile	3Mtr	4 Nos.	₹ 1,105
3	OZOT-HP-GKT BL	Gasket	R/Mtr	12 Nos.	₹ 68

### TYPICAL LAYOUT



## OUTLINER FOLD OS-444/CS-444 CENTER SLIDING FOLDING SYSTEM PROFILES



**OZOT-ESD-P10 2.6M BM** ₹ 780  
**OZOT-ESD-P10 3M BM** ₹ 935  
Outliner EDGE PROFILE



**OZOT-ESD-P10 3M PHANTOM GREY**  
₹ 980



**OZOT-ESD-P10 3M TAN BRASS**  
₹ 980

- Outliner sleek Profile for cladding the edge of glass.
- 12.5X14.8 ALUMINIUM EXTRUDED PROFILE.
- No Screws & Corner cleat is required to fix with glass
- Can be fix with double side tape only.
- Suitable glass thickness 10mm
- Max Profile length 3000
- Suitable for Shower, Sliding Folding and Patch fitting applications.
- Material: Aluminium.
- Finish: BM & AN
- Other Finish can also be available on request.



**OZOT-ESD-P12 3M BM** ₹ 980  
Outliner EDGE PROFILE



**OZOT-ESD-P12 3M PHANTOM GREY**  
₹ 1030



**OZOT-ESD-P12 3M TAN BRASS**  
₹ 1030

- Outliner sleek Profile for cladding the edge of glass.
- 13.5X16.8 ALUMINIUM EXTRUDED PROFILE.
- No Screws & Corner cleat is required to fix with glass
- Can be fix with double side tape only.
- Suitable glass thickness 12mm
- Max Profile length 3000
- Suitable for Shower, Sliding Folding and Patch fitting applications.
- Material: Aluminium.
- Finish: BM & AN
- Other Finish can also be available on request.



**OZOT-HSP10 2.6M BM** ₹ 850  
**OZOT-HSP10 3M BM** ₹ 1,020  
Outliner HINGE PROFILE



**OZOT-HSP10 3M PHANTOM GREY**  
₹ 918



**OZOT-HSP10 3M TAN BRASS**  
₹ 918

- Outliner sleek Profile for cladding the edge of Hinge side.
- 12.5X14.8 ALUMINIUM EXTRUDED PROFILE.
- No Screws & Corner cleat is required to fix with glass
- Can be fix with double side tape only.
- Suitable glass thickness 10mm
- Max Profile length 3000
- Suitable for Shower, Sliding Folding and Patch fitting applications.
- Material: Aluminium.
- Finish: BM & AN
- Other Finish can also be available on request.



**OZOT-HSP12 3M BM** ₹ 1,105  
Outliner HINGE PROFILE



**OZOT-HSP12 3M PHANTOM GREY**  
₹ 1,160



**OZOT-HSP12 3M TAN BRASS**  
₹ 1,160

- Outliner Hinge Profile for cladding the edge of Hinge side.
- 13.5X16.8 ALUMINIUM EXTRUDED PROFILE.
- No Screws & Corner cleat is required to fix with glass
- Can be fix with double side tape only.
- Suitable glass thickness 12mm
- Max Profile length 3000
- Suitable for Shower, Sliding Folding and Patch fitting applications.
- Material: Aluminium.
- Finish: BM & AN
- Other Finish can also be available on request.



**OZOT-HP-GKT BL** ₹ 68  
EPDM GASKET

- EPDM Seal for Outliner Hinge Profile.
- Minimize the gap between wall/Floor and profile.

**OUTLINER FOLD CS-444**



**SL-444-B10 STD BM ₹ 10,915**  
Folding Door Roller



**SL-444-B-CL BM ₹ 9,625**  
Corner Patch Lock



**SL-444-B6 STD BM ₹ 9,205**  
Glass-to-Glass Hinges



**SL-444-B-DB BM ₹ 7,535**  
Glass Door Bolt



**SL-444-B16 STD BM ₹ 6,780**  
Upper Fixing Clip



**SL-444-B-SLV BM ₹ 1,100**  
Bolt Sleeve



**SL-444-B17 STD BM ₹ 6,590**  
Lower Fixing Clip



**SL-444-B-SP BM ₹ 720**  
Strike Plate



**SL-444-TT 4M BM ₹ 23,105**  
Top Track

**OUTLINER FOLD OS-444**



**SL-444-TT 3M BM ₹ 17,855**  
**SL-444-TT 4M BM ₹ 23,105**  
 Top Track



**SL-444-A10 STD BM ₹ 10,090**  
 Glass-to-Glass  
 Connector with Roller



**SL-444-BT 3M BM ₹ 11,080**  
**SL-444-BT 4M BM ₹ 14,500**  
 Bottom Track



**SL-444-A11 STD BM ₹ 5,995**  
 End Sliding Folding Panel  
 Fitting with Roller



**SL-444-TT-C 3M BM ₹ 11,900**  
 SS Cover for track SL-444-TT



**SL-444-A12 STD BM ₹ 9,580**  
 Glass-to-Glass Connecting  
 Hinge with Guide Locator



**SL-444-A6 STD BM ₹ 8,525**  
 Glass-to-Glass  
 Interconnecting Hinge



**SL-444-A13-L/R STD BM ₹ 11,920**  
 Glass-to-Glass Connecting  
 Hinge with Floor Lock

**OUTLINER FOLD OS-444**



**SL-444-A9 STD BM ₹ 5,335**  
Glass-to-Wall Hinge  
for Single Action Doors



**SL-444-A18-L STD BM ₹ 6,455**  
End Panel Fitting with  
Bottom Pivot (for odd Panels)



**SL-444-A14 STD BM ₹ 4,800**  
End Sliding Folding Panel  
Fitting with Guide Locator



**SL-444-A18-R STD BM ₹ 6,455**  
End Panel Fitting with  
Bottom Pivot (for odd panels)



**SL-444-A16 STD BM ₹ 6,265**  
End Panel Fitting with  
Top Pivot



**SDL-14A STD BM ₹ 17,990**  
Sliding Door Lock with Knob



**SL-444-A17 STD BM ₹ 6,095**  
End Panel Fitting with  
Bottom Pivot



**SDL-14B STD BM ₹ 13,320**  
Sliding Door Strike Box  
with Knob



**OUTLINER AUTO PRO AUTOMATIC**



Outliner Series

For 10MM Glass Thickness					
S. No.	Code	Description	Length	Qty.	MRP
1	OZOT-ESD-P10 3M BM	Perimeter/Side Profile	3Mtr	3 Nos.	₹ 935
For 12MM Glass Thickness					
S. No.	Code	Description	Length	Qty.	MRP
1	OZOT-ESD-P12 3M BM	Perimeter/Side Profile	3Mtr	3 Nos.	₹ 980

**TYPICAL LAYOUT**



## OUTLINER AUTO PRO



### Features:

- Engine case, height: 128mm
- Engine case cover height: 150mm
- Self learning micro computer processing controller
- Adjustable tensioner wheel
- 24V DC 65W brushless motor
- Digital adjustable parameters
- Controller with built-in remote control receiver
- In-built electromagnetic locking

<b>OZOM-111E-PLUS-N 4.2M AN</b>	<b>₹ 1,17,900</b>
<b>OZOM-111E-PLUS-N 4.2M BM</b>	<b>₹ 1,35,585</b>
<b>OZOM-111E-PLUS-N-SINGLE 2.4M AN</b>	<b>₹ 67,375</b>
<b>OZOM-111E-PLUS-N-SINGLE 2.4M BM</b>	<b>₹ 77,480</b>

(For Single Door)  
Compact & Slim body | Intelligent Controller |  
Modular Design | Noiseless Functionality

### Specifications:

- Single / Bi-parting sliding door system
- Suitable door weight : 100Kg x 2
- Maximum door opening : 2mtr
- Adjustable parameters for opening speed, closing speed, opening buffer speed, closing buffer speed, opening buffer distance, closing buffer distance, opening time & opening force
- Integration possible with Microwave Sensor, Handwave Sensor, PIR Sensor, Digital Door Key, Finger Print Controller Wireless Push Button, Safety Beam, Remote Control, Push Buttons etc
- Warranty will be lapsed in absence of CVT.



### Features:

- Engine case, height: 90mm
- Self-learning micro-computer processing controller
- Slim type track
- 24V DC 65W brushless motor with built-in rectifier
- Adjustable parameters
- Engine case cover height: 155mm
- Controller with built-in remote control receiver
- Adjustable tensioner wheel
- Operating standard cycle for 5,00,000 cycles in-house tested

<b>OZOM-111P-PLUS 4.2M SLV-AN</b>	<b>₹ 1,73,955</b>
<b>OZOM-111P-PLUS 4.2M STD BM</b>	<b>₹ 2,04,700</b>
<b>OZOM-111P-PLUS 5.2M SLV-AN</b>	<b>₹ 1,93,355</b>
<b>OZOM-111P-PLUS 6M SLV-AN</b>	<b>₹ 2,07,840</b>
<b>OZOM-111P-PLUS 6M STD BM</b>	<b>₹ 2,43,440</b>

Compact & Slim body |  
Noiseless Functionality |  
Intelligent Controller | Modular Design

### Specifications:

- Single/Bi-parting sliding door system
- Suitable door weight : 120Kg x 2
- Maximum door width : 2/2.5/3mtr
- Adjustable parameters for opening speed, door buffer distance, door buffer intensity, closing speed, closed buffer distance, closed buffer force, opening hours, & starting force
- Integration possible with Microwave Sensor, Handwave Sensor, PIR Sensor, Digital Door Key, Wireless Push Button, Safety Beam, Remote Control, Push Buttons, etc.
- Warranty will be lapsed in absence of CVT.

**OZOM-AC-99N STD BLACK** ₹ 9,695**Microwave Sensor**

High sensitivity, wide range eagle type sensors with least interface with industrial noise.

**MOTION SENSOR****OZOM-AC-11-ZS-N STD** ₹ 18,190

**Combo Microwave Sensor:** High sensitivity, wide range eagle-type sensors with least interface with industrial noise. Infrared Sensor for Active and presence detector.

**Opening & safety sensor for automatic sliding doors**

Another use of the device is outside the permitted purpose and can not be guaranteed by the manufacturer. The manufacturer cannot be held responsible for incorrect installations or inappropriate sensor adjustments.




## OUTLINER AUTO PRO

**Microwave Sensor:** High sensitivity, wide range eagle type sensors with least interface with industrial noise. Infrared Sensor for Active and presence detector.

**Opening & safety sensor for automatic sliding doors**

Other use of the device is outside the permitted purpose and can not be guaranteed by the manufacturer. The manufacturer cannot be held responsible for incorrect installations or inappropriate adjustments of the sensor.

OZOM-AC-11-ZS STD ₹ 18,190



**Technical Specification**

<b>Supply voltage:</b>	12 V-24 V AC +/-10% ; 12 V-30 V DC 0%/+10%	
<b>Power consumption:</b>	< 3W	
<b>Mounting height:</b>	1.8m to 3m	
<b>Temperature range:</b>	-25°C to +55°C	
<b>Degree of protection:</b>	IP54	
<b>Detection mode:</b>	Motion Min. detection speed: 5cm/s	Presence Typical response time: <128ms (max. 500ms)
<b>Technology:</b>	Microwave doppler radar Transmitter frequency: 24.150 GHz Transmitter radiated power: <20 dBm EIRP Transmitter power density: <5 mW/cm2	Active infrared with background analysis Spot diameter: 6cm (typ) Number of spots: 24 by curtain Number of curtains: 1
<b>Angle:</b>	From 15° to 45° vertical (adjustable)	From -5° to +8° (adjustable)
<b>Output:</b>	Relay (free of potential) Max. contact voltage: 42 V AC/DC Max. contact current: 1A (resistive) Max. switching power: 30W (DC)/60 VA (AC)	Relay (free of potential) Max. contact voltage: 42V AC/DC Max. contact current: 1A (resistive) Max. switching power: 30W (DC)/60 VA (AC)
<b>Hold time output signal:</b>	0.5s	0.5s

Specification are subject to change without prior notice

**OUTLINER ACCESSORIES**



**OZOM-PR-11 1M ZINC** ₹ 5,485  
**OZOM-PR-11 1.5M ZINC** ₹ 7,920



**OZOM-FG-22 STD SS** ₹ 1,330  
Floor guides for framed doors  
with adjustable width (pair)



**OZOM-WPB-22 STD** ₹ 16,575  
Wireless Push Button  
(Waterproof)



**OZOM-FPC-11M STD** ₹ 20,210  
Finger Print Access Control



**OZOM-HWS-11 STD** ₹ 12,885  
Hand Wave Sensor



**OZOM-11P-AC-11 STD** ₹ 7,010  
Remote Control for  
Automatic Sliding Door



**OZOM-SW-11M STD** ₹ 1,605  
Metallic wall mounting  
push button switch



**OZOM-SB-11N STD SS (Single Barrier)** ₹ 11,170  
**OZOM-SB-12 (Double Barrier)** ₹ 17,380



**OZOM-111E-PLUS-N REMOTE** ₹ 4,245  
Remote Control



**OZOM-AC-66 PIR STD STD** ₹ 25,870  
Ceiling mounting PIR sensor



**OZOM-111P-PLUS REMOTE** ₹ 4,245  
Remote Control



**OZOM-SW-11 STD** ₹ 435  
Large area push button for  
automatic doors